#### ORIGINAL



#### WATCO, INC.

P.O. BOX 1270 SHOW LOW, AZ 85902/PHONE 928-537-8739/FAX 928-537-1245

SSDS

Docket Number W-01979A-06-0357

February 19, 2007

Arizona Corporation Commission DOCKETED

MAR 22 2007

To Whom It May Concern:

DOCKETED BY	Ì	1	R
	L_		

On January 17, 2007, Del Smith and Katrin Stukov spoke with representative(s) of Watco, Inc. (hereinafter referred to as "Company") regarding several issues that pertain to the Finance Application and Rate Case currently under review by Arizona Corporation Commission (hereinafter referred to as "ACC") Staff. This letter is written per request of Del Smith and Katrin Stukov.

Issues are addressed in the order recorded by Watco, Inc. representative(s) and are as follows:

1) In conjunction with the Rate Case and Finance Application submitted to ACC, Watco, Inc. submitted an Application to WIFA requesting funds to be used in repairing/upgrading Watco, Inc.'s System; please supply Del Smith with a copy of the WIFA Application.

Aforementioned WIFA Application was sent to Del Smith via USPS on February 15, 2007.

2) Please supply ACC with documentation that Watco, Inc. had been placed on WIFA's 2006 Funding Cycle.

The requested documentation is included as Attachment A.

3) Watco, Inc. shall obtain Approval to Construct from ADEQ, for the Proposed Project (this includes construction of a 500,000 gallon storage tank, a tie-line between Silver Lake Estates and Bourdon Ranch Estates and continuance of a meter replacement program).

As a compliance issue in accordance with Docket No. W-20475A-06-0549, and per recommendation of Administrative Law Judge Marc E. Stern, Watco Inc. shall obtain Approval to Construct from ADEQ on or before August 1, 2007. Company's Engineer is currently addressing this matter.

2001 WAR 22 A IO: 36

4) Include a financial breakdown showing how the \$600,000 requested will be apportioned in the Proposed Project.

Please see Attachment B

5) Explain the need for fire-flow in the Watco, Inc. System.

The Watco, Inc. System is located in a forest fire prone area, as evidenced by the Rodeo-Chediski Fire. Lack of fire-flow endangers the subdivisions serviced by Watco, Inc. Having sufficient storage for fire-flow will alleviate fears experienced by residents in these areas and provide essential water should a fire occur.

Company has been contacted by members of the community serviced who are endeavoring to establish a fire district in the Silver Lake Estates System. These efforts have not yet arrived at fruition; however, should a fire occur, the Show Low Fire Department responds. Requirements of Show Low Fire Department are included in the Attachment listed below.

Please see Attachment B

6) Company has stated that it is more economically feasible to construct a new tank rather than refurbish the existing tank located in the Silver Lake Estates System; please justify the expense associated with constructing a new tank.

Please see Attachment C

7) Please justify the need for a 500,000 gallon storage tank.

Company calculated storage tank size by multiplying daily demand per service connection (348 gallons) by number of customers (300); thus equaling 104,400 gallons (two days storage providing normal daily demand). To account for Holiday weekend demand, 104,400 is multiplied by 2; providing a number of 208,800 gallons. Fire-flow requirements are 1,000 gpm for 2 hours, or 120,000 gallons. Adding 208,800 gallons (highest demand water usage) and 120,000 gallons (fire-flow requirement) equals a total of 328,800 gallons of water storage required in the Watco, Inc. System.

8) Provide the cost comparison of a 250,000 gallon storage tank and a 500,000 gallon storage tank.

	Aquastore	Brown Tank and Steel
250,000 gallon tank	\$250,000	\$200,000
500,000 gallon tank	\$400,000	\$300,000

9) Company implemented a meter replacement program in 2003; please supply ACC with an updated report on the status of this program.

According to Company calculations, 30 new meters have been installed in the Silver Lake Estates System since implementation of the meter replacement program. After subtracting 30 from the original 270 meters, a number of 240 is arrived at. Company believes 40 of those meters are in good operating condition; removing 40 from 240 leaves an approximate 200 meters that need to be replaced.

10) Explain how fire flow will be implemented in the Watco, Inc. System.

One hydrant is currently installed at the well-site location in Silver Lake Estates. Another hydrant will be installed in conjunction with proposed 500,000 gallon storage tank. These two hydrants will provide immediate fire flow; hydrant coverage in the rest of the System shall be implemented per Phases.

Should further information be required, feel free to contact me by any means mentioned in the header of this letter. Thank you.

Sincerely,

Thomas Grapp

Thomas Grap

ATTACHMENT A

## Arizona's Drinking Water Revolving Fund 2006 Funding Cycle -- Priority List for Drinking Water Revolving Fund

January 17, 2007

Rank	Rank Annlicant	Population	Population Project Title	Project #	Rec	Amount Requested I	Subsidy Rate Index	Funding Cycle
-	Naco Water Company	1,086	Phase II of System Upgrades	030 2006	<del>⇔</del>	1,400,000	70%	2006
7	Camp Verde Water System	2,500	Mongini Arsenic Plant	028 2006	<del>69</del>	750,000	%0/	2006
, m	City of St Johns	3,548	Water Transmission Line Project	047 2006	€9	3,480,000	75%	2006
4	Highland Pines DWID	1,000	New Storage Tank and Main Replacement	046 2006	€9	300,000	%0/	2006
5	Livco Water Company	1,100	Old Concho/Concho Valley Consolidation	010 2006	₩	200,000	%02	2006
9	Watco, Inc.	790	SLE/BR Storage/Tie Line Project	014 2006	↔	299,000	%0/	2006
7	Flagstaff Ranch Water Company	400	Arsenic Adsorption Package Treatment System	043 2006	<del>6/3</del>	202,500	. %0./	2006
∞	Valley Utilities Water Company	4,500	Arsenic Remediation	032 2006	<del>6∕3</del>	1,776,100	%02	2006
6	Golden Corridor Water Co.	145	Upgrade Storage and Reinstate Well for Compliance	048 2006	↔	160,000	%02	2006
10	Town of Gila Bend	1,980	Water Transmission Line Project	050 2006	<del>69</del>	250,000	%02	2006
÷Ξ	Papago Butte DWID	538	Water System Replacement Project	049 2006	↔	484,495	%02	2006
12	Ashcreek Water Company	250	Increase of Water Storage Capcity with New Tank	021 2006	↔	19,440	%02	2006
13	Ashcreek Water Company	250	Well Transmission	018 2006	<del>69</del>	19,750	%02	2006
14	Ashcreek Water Company	250	Mohave System Distribution Line Upgrade / Replacement	017 2006	<del>69</del>	25,450	%02	2006
15	Ashcreek Water Company	250	Closing of Loop in Distribution Lines	016 2006	69	41,990	%02	200e
16	Ashcreek Water Company	250	System Evaluation and Feasibility Study	020 2006	↔	100,000	%02	2006
17	Ashcreek Water Company	250	Installment of Transmission Valves and Flushing	019 2006	€9	5,700	%02	2006
18	Livco Water Company	1,100	Replace Asbestos Pipline	012 2006	↔	120,000	%0/	2006
19	Sue Juan Water Company	120	Arsenic Removal and Treatment (POU or well head)	001 2006	€9	50,000	%02	2006
20	Livco Water Company	1,100	Water Storage Capacity Expansion	009 2006	<del>69</del>	250,000	%02	2006
21	Tacna Water Co.	450	Arsenic Control Plant and New Water Source	042 2006	<del>60</del>	260,268	%02	2006
22	Shepard Water Company	200	Martinez Lake Well Site Arsenic Treatment	041 2006	↔	200,000	75%	2006
23	Abra Water Company	1,586	Arsenic Removal	045 2006	↔	250,000	75%	2006
24	Oak Creek Utility Corp.	50	New Storage Tank	040 2006	<del>69</del>	20,000	75%	2006
25	Yavapai-Apache Nation	2,000	Clarkdale/Tunli Development	051 2006	€9	3,449,902	75%	2006
26	Tucson Water Department	690,000	New Production Wells for Blended Water	033 2006	↔	1,500,000	%08	2006
27	Tucson Water Department	000,069	South Avra Valley Storage & Recovery Project - Raw Water Delivery Pipeline	035 2006	€9	4,000,000	%08	2006
28	Tucson Water Department	000,069	South Avra Valley Storage & Recovery Project	034 2006	643	3,000,000	%08	2006
29	Maricopa County Municipal Water Distric 200,000	ric 200,000	White Tanks Regional Water Treatment Plant	029 2006	69	55,000,000	%08	2006
30	Las Quintas Serenas Water Company	4,000	400,000 Gallon Storage Tank and Back-up Generator	052 2006	↔	400,714	%08	2006
31	Las Quintas Serenas Water Company	4,000	Arsenic Remediation	044 2006	↔	1,648,750	%08	2006
32	Valle Escondido DWID	650	New Well and Reservoir Project	005 2006	↔	1,000,000	30V	2006
33	Community Water Company of Green Va 16,000	/a 16,000	Design/Construction of Arsenic Treatment Facilities	003 2006	↔	2,000,000	75%	2006
34		1,100	Well #4 Activate Inactive Well	006 2006	<del>6/9</del>	60,000	%02	2006
35	Livco Water Company	1,100	Upgrade/Replace Old Water Meters	011 2006	<del>69</del>	75,000	%02	2006
	Note - All loans will be cash funded.							

# Arizona's Drinking Water Revolving Fund 2006 Funding Cycle — Priority List for Drinking Water Revolving Fund January 17, 2007

*					٠	Amount	Subsidy Funding	Funding
Jank	Donly Annlicant	Population	Population Project Title	Project #	ct #	Requested	Rate Index Cycle	Cycle
25	26 Volume 11 Water Immericament Association 1 700	1 700	Back Un Well Project	004 2	\$ 9002	250,000	%02	2006
֓֞֝֞֜֜֜֝֝֜֜֜֝֓֓֓֓֜֝֜֜֜֜֝֓֓֓֓֓֜֜֜֜֝֓֓֓֓֜֝֜֜֝֓֡֓֜֝֜֝֓֜֝֜֝֓֡֜֝֡֜֝֜֜֝֡֜֜֝֡	Taillell Water Improvement resociation	1 142	Renairs and Ungrades to Distribution and Booster Pumps	038 2	\$ 9007	69,212	75%	2006
ر ر	3/ Clear Springs Cumb Company	1,172	Thorade/Renlace Well Casings	007 2	\$ 9002	45,000	<i>402</i>	2006
χ ς	38 Liveo water Company	500	Unorade of Plant and Expansion of Storage	• •	\$ 9002	75,000	<b>40%</b>	2006
y 6	39 Mondawk Ulling Company 40 Term of Element	13 966	Potable Water System Improvements	027 2	\$ 9007	483,690	%08	2006
÷ +	City, of Elecatoff	62,718	New Water Wells	036 2	2006	8,500,000	%08	2006
4 - - -	City of Flagstall	1 100	Well #3 Activate Inactive Well	008 2	2006	40,000	75%	2006
7 5	Liveo water Company	7 842	Water Treatment Plant Ungrades	039 2	2006 \$	900,000	75%	2006
t	City of Williams	5,012	Heavy Indistrial Park Infrastructure	025 2	2006	295,000	%08	2006
4 4	City of motorook	2,500	Installation of Meters	002 2	\$ 9002	450,000	%08	2006
	Forest Lakes DWID	5 100	Sun Valley Desalination Project	024 2	\$ 9007	2,000,000	%08	2006
0 1 1	City of motorons	50	New Well for Back-up on Current Well	031 2	2006	13,000	75%	2006
7 0	Country of Elements ff	62 718	Future Water Acquisition	037 2	2006	15,000,000	%08	2006
0 0	City of Hollmook	5 100	Water Tank Rehabilitation and Tank Replacement	022 2	\$ 9007	702,061	%08	2006
4 d	City of includors	1,000	New District Connection with Existing Lines	026	2006	250,000	%08	2006
2	Delta City Improvement District	5,100	Honi Travel Plaza Water Line	023	\$ 9007	2,500,000	%08	2006
52	52 City of Peoria	113,600	Acquisition of Public Infrastructure	015	\$ 9002	16,200,000	85%	2006

ATTACHMENT B

#### WATCO, INC.

P.O. BOX 1270 SHOW LOW, AZ 85902/PHONE 928-537-8739/FAX 928-537-1245

February 12, 2007

#### To Whom It May Concern:

This letter is written as a preface to the Engineer's Report included hereafter. The Engineer's Cost Estimate enclosed consists of an estimate that incorporates all projects Watco, Inc. would like to complete in an effort to produce a functional and viable System that would best serve water customers being supplied in the Silver Lake Estates and Bourdon Ranch Estates subdivisions.

Watco, Inc. anticipates that Phases will be used to effectively complete all portions of the Engineer's Report and Cost Estimate. The WIFA funds requested at this time will be used to construct and install Phase 1 (hereinafter referred to as "Proposed Project"). The Proposed Project is comprised of three components; they are as follows: a 500,000 gallon storage tank, a tie-line between the Silver Lake Estates and Bourdon Ranch Estates Systems and continuation of a meter replacement program.

Prices applicable to the Proposed Project are listed below:

Item	Unit	Unit Price	Quantity	Total Price
Watermain, 8" PVC	LF	\$50	3,280	\$164,000
Watermain, 8" DIP	LF	\$75	400	\$30,000
Watermain, 6" PVC	LF	\$45	1,320	\$59,400
.5M Gal Storage Tank	LS	\$425,000	1	\$425,000
Hydrant Assembly	EA	\$5,000	1	\$5,000
Meter Assemblies	EA	\$550	200	\$110,000
TOTAL				\$793,400
Engineering Services (5%)				\$41,595
Contingencies (5%)				\$41,595
TOTAL				\$876,590

Unit Prices stated above are consistent with those in the Engineer's Cost Estimate; however, Total Price varies because of footages relevant to the Proposed Project.

For questions and comments, I may be contacted by any means mentioned in the header of this letter. Thank you.

Sincerely,

Thomas Grapp

Momo Diap



#### FLEETWOOD ENGINEERING, LLC PO Box 1158 Lakeside, AZ 85929-1158 928-368-8759

January 28, 2006

Cedar Grove Water Company POB 1270 Show Low, AZ 85902

RE: Silver Lake Estates

Mr. Grapp,

I discussed the fireflow requirements for Silver Lake Estates with Brian Russell, fire inspector for the City of Show Low. Even though the subdivision is not located within the City of Show Low, their fire department will respond. Mr. Russell reported that the city adopted the International Fire Code (IFC) with an amendment of 1,000 gpm for required fireflow.

Consequently, the design value for fireflow for Silver Lake Estates is 1,000 gpm.

If you have any questions, please call me at the above number.

Thank you,

Marc Fleetwood, PE

Parc Fleetwood



FLEETWOOD ENGINEERING, LLC PO Box 1158 Lakeside, AZ 85929-1158 928-368-8759

October 1, 2006

WATCO Attn: Mark Grapp POB 1270 Show Low, AZ 85902

RE: WATCO System Improvements and Interconnection with Bourdon Ranch Estates

Mr. Grapp,

After reviewing the existing conditions of WATCO Water Company and the terrain between the two service areas it appears to be a necessary idea to connect the two distribution systems and increase the storage and flow capabilities of the system to enhance the management, economic feasibility, reliability, and provide forest and domestic fireflows. Contained in this report are the requirements to achieve this goal and the estimated costs.

Let's begin with a description of what the WATCO Water Company is trying to accomplish by improving their system and connecting the Bourdon Ranch Estates and Silver Lake Estates Subdivisions. Improvements in the existing system will provide fire protection to the residents of Silver Lake Estates & Bourdon Ranch Estates. This forest and domestic fire protection will be possible by providing a larger storage tank and larger watermains throughout the subdivisions. The connection between the two water systems will give redundancy to both systems, since now the systems will be able to draw from two wells. The increased flow and storage will better protect the residents against forest fire danger. Fire protection service will be provided by Show Low Fire Department and system will be designed to Show Low Fire Department specifications.

See attached Design Report and Cost Estimate for details.

Thank You,

Marc Fleetwood, PE

larc Flectwood

MARC M.
FLEETWOOD

ARIZONA, U.S.A.

Howwood

MACC

MARC M.
FLEETWOOD

ARIZONA, U.S.A.

Howwood

### WATCO Water Company Design Report to Add Fireflows to the System And Connect to Bourdon Ranch Estates Distribution System

The existing wells for WATCO are 538 feet deep for Silver Lake Estates and 440 feet deep for Bourdon Ranch Estates. The well pumps produce 58 gpm and 31 gpm, respectively. The current system has two storage tanks of 100,000 gallons and 25,000 gallons. To provide fireflow, WATCO will have to locate a large reservoir on a high point near the subdivisions and increase the size and loop many of its watermains.

The current total pumping capacity per day is 96,120 gallons per day. This amount is based on pumps running 18 hours per day. Use of 18 hours per day is conservative to allow for filling of storage tanks and times when the pump is off during low water demand. Silver Lake Estates experiences high summertime demand when its well runs continuously.

By the end of construction, total number of connections is estimated to be 330. The peak month usage is about 400 gpd and is equivalent to 132,000 gallons per day. That amount is already above the pumping capacity and does not include any forest or domestic fire protection.

The fireflow required from Show Low Fire Department for this rural setting is 1,000 gpm for two hours or 120,000 gallons. Show Low Fire Department will be the responding department.

The pumping capacity of the wells should be set at the peak demand and one-half the fireflow, or 192,000 gallons per day. This gives combined production of the two wells at 145 gpm. If this amount cannot be met with the two existing wells an additional well may be needed.

The elevated storage should be a minimum of 500,000 gallons and 24 feet tall. This will allow for two days storage and the required fireflow.

The distribution system will need many upgrades to accommodate the required fireflow. Many of the 4" watermains will need to be replaced with 6" watermains throughout Silver Lake Estates. An 8" watermain will need to be installed to the storage reservoir and in between Silver Lake Estates and Bourdon Ranch Estates. All dead-end lines will need to be looped. Fire hydrants will need to be installed in all areas of both subdivisions. See below for quantities and estimated costs.

This project will need to be reviewed and approved by Arizona Department of Environmental Quality (ADEQ).

#### COST ESTIMATE

Item	Unit	Unit Price	Qnty	Total Price
<ol> <li>Watermain, 8" PVC</li> <li>Watermain, 6" PVC</li> <li>Watermain, 8" DIP         Exposed installed</li> <li>0.5M Gal Storage Tar</li> <li>Hydrant Assembly</li> <li>Pumps and Controls</li> <li>Valves</li> <li>Meter Assemblies</li> </ol>		\$50 \$45 \$75 \$425,000 \$5,000 \$18,000 \$800 \$550 TOTAL Engineering Contingencie	5,200 15,900 400 1 28 2 40 270 Services (5% es (5%)	\$260,000 \$715,500 \$ 30,000 \$425,000 \$140,000 \$ 36,000 \$ 32,000 \$148,500 \$1,787,000 \$ 89,000 \$ 89,000
		TOTAL		\$1,965,000

If the existing wells cannot produce required flows another well will need to be drilled.

			TOTAL		\$	110,000
			TOTAL Engineering S Contingencies		\$ \$ \$	100,000 5,000 5,000
2a.	Well	LS	\$80,000	1	\$	80,000
1a.	Pumps, Controls, Site and Power	LS	\$20,000	1	\$	20,000

ATTACHMENT C

#### REFURBISH EXISTING TANK

Material*	\$15,000
Equipment*	\$24,862
Labor*	\$5,000
Recoat	\$30,000
Replace Floor	\$35,000
Sub-Total	\$109,862
Engineering 5%	\$5,493.10
Contingencies 5%	\$5,493.10
Compaction Testing 5%	\$5,493.10
TOTAL	\$126,341.30

<sup>\*</sup>NOTE: These items shall be used in/during site preparation.

#### CONSTRUCT NEW TANK

Site Preparation	\$10,000
Tank Construction	\$100,000
TOTAL	\$110,000